


Product Datasheet model ultravision 9301 105



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	<ul style="list-style-type: none">• classic goggles with unrestricted field of vision• can be worn over prescription spectacles• lenses can be changed• high mechanical strength of the polycarbonate (B: 120 m/s) lens• innovative indirect ventilation system helps maintain a comfortable climate around the eyes• suitable for construction applications
Technical details Frame Material Features Colour	Front piece PVC ventilation system transparent light grey

Material	Headband
Features	synthetic headband
Colour	adjustable
	anthracite/lime
	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid)
	4 (large dust particles)
	9 (molten material and hot solids)
Medium-energy impact	B (120 m/s)
Conformity symbol	CE
Lens	
Material	PC
Filter	2,2 mm
Coating	supravision excellence
Colour	clear
UV protection	UV 400
	Marking
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	B (120 m/s)
Field of use	9 (molten material and hot solids)
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	

Miscellaneous

Weight

130 g

Packing

90 pieces in one carton

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II